



TEKNO LINE®

Professional high-quality satellite multiswitch amplifier

profesyonel
AMPLIFIER



www.teknicksatgroup.com.tr
www.teknoonline.net

amplifier series

TMA 5/5 - TMA 9/9 - TMA 10/10 - TMA 13/13 - TMA 17/17



TEKNO LINE®

Professional multiswitch amplifier

Rustproof Aluminum
Metal Case & Cover
with long Life **High Isolation**



SMATV AMPLIFIER

Çanak anten ile multiswitch arası kablo mesafesi uzadıkça sinyal kaybı oluşur, bunu engellemek ve stabil tutabilmek için Amplifier kullanılır.


The longer the cable distance between the antenna and the dish multiswitch signal loss occurs, to prevent it and to keep stable Amplifier for use.

Özellikler

- Kaskat kazanç yükseltici
- Yüksek çıkış seviyesi
- Ayarlanabilir kazanç
- LNB ON OFF Anahtarı
- Kısa devre koruma
- Yüksek izalasyon

Features

- Cascade gain amplifier
- High output level
- Adjustment gain
- LNB ON OFF Switch
- Short circuit protection
- High isolation



amplifier series

TMA 5/5 - TMA 9/9 - TMA 10/10 - TMA 13/13 - TMA 17/17



3 YIL GARANTİ
3 YEAR GUARANTEE



tekniksatsat
GROUP

www.tekniksatsatgroup.com.tr
www.teknoline.net



TEKNO LINE®

Professional high-quality satellite multiswitches

TMA SERIES

- Cascade gain amplifier
- High output level

- Adjustment gain
- LNB ON OFF Switch

- Short circuit protection
- High isolation

	TMA 5/5	TMA 9/9	TMA 10/10	TMA 13/13	TMA 17/17
Frequency range SAT	950-2150 Mhz				
Frequency range TERR	47-870 Mhz				
Attcnator	20 dB				
Gain TERR	-1dB ± 1				
Gain SAT	19...23dB (4dB equalizer)				
Isolation SAT-SAT	>43 dB				
Isolation SAT-TERR	>50 dB				
Max. output power SAT	110 dBμV				
Input SAT - TERR	4+1	8+1	9+1	12+1	16+1
Output SAT - TERR	5	9	10	13	17
Operating voltage	16V 1A	16V 1,5A	16V 1,5A	16V 2A	16V 2A
Total current draw	150 mA	280 mA	310 mA	400 mA	500 mA
Total current draw with LNB	310 mA	600 mA	760 mA	880 mA	1200 mA
Temperature	-20 + 50°C	-20 + 50°C	-20 + 50°C	-20 + 50°C	-20 + 50°C
Dimensions	175x120x42 mm	246x120x42 mm	246x120x42 mm	310x120x42 mm	410x120x42 mm
Weight	430gr	670gr	680gr	840gr	1100gr

